Настройки роутера DIR-615

Подключите роутер в порт LAN патчкордом входящим в комплект поставки роутера. Откройте любой браузер (Internet Explorer, Firefox, Opera, Chrome) и в адресной строке наберите адрес <u>http://192.168.0.1/</u> (значение по умолчанию, однако возможно Вы настраивали роутер прежде и поменяли адрес локальной сети).

Логин и пароль для входа в админку роутера по умолчанию admin/admin, либо логин admin пароль вводить не надо. Заметим, что возможно вы уже настраивали ваш Роутер и сменили логин и пароль на вход. Если вы не помните логин и пароль на вход, пройдите процеду сброса настроек роутера на заводские (Для этото на задней панели необходимо нажать и удерживать кнопку«**RESET**» 10-15 секунд) и повторить процедуру входа в админку роутера.

Product Page: DIR-61	5		н	ardware Version: E4	Firmware Version: 5.11RU
D-Lini	k				
DIR-615	SETUP	ADVANCED	TOOLS	STATUS	SUPPORT
NTERNET WIRELESS SETTINGS NETWORK SETTINGS Pv6	INTERNET CONNE There are two ways to Connection Setup Wiz INTERNET CONNE If you would like to utill new D-Link Systems R Note: Before launchin the Quick Installation C	CTION set up your Internet conne ard, or you can manually o CTION SETUP WIZARI ize our easy to use Web-ba couter to the Internet, click o Internet Connection g these wizards, please ma Guide included in the pack	ction. You can use the We configure the connection. D ased Wizards to assist you on the button below. on Setup Wizard ake sure you have followe age.	b-based Internet	Helpful Hints If you are new to networking and have never configured a router before, click on Internet Connection Setup Wizard and the router will guide you through a few simple steps tog at your network up and running. If you consider yourself an advanced user and have configured a router before, click Manual Internet Connection Setup to input all the settings manually.
WIRELESS	MANUAL INTERNE If you would like to con then click on the button	T CONNECTION OPTION Infigure the Internet settings In below. Manual Internet C	ONS of your new D-Link System	ms Router manually,	More

Нажмите нижнюю кнопку «Manual Internet Connection Setup»

D-Lini	K				
DIR-615	SETUP AD	VANCED	TOOLS	STATUS	SUPPORT
INTERNET	WAN				Helpful Hints
WIRELESS SETTINGS	Use this section to configure you	r Internet Conne	ction type. There are seve	ral connection types to	When configuring the router to access the
NETWORK SETTINGS	choose from: Static IP, DHCP, PI	PPoE, PPTP, L2	P and DS-Lite. If you are u	unsure of your	Internet, be sure to
IPv6	Note: If using the DPDoE option	wou will need to	remove or disable any PP	PoE client software on	Internet Connection
	your computers.	you will need to	remove of disable any PP	FOE client soltware on	menu. If you are unsure of which option to choose
	Save Settings Don't Save Setti	ings			contact your Internet Service Provider (ISP).
	INTERNET CONNECTION T	YPE			If you are having trouble accessing the Internet
	Choose the mode to be used by	the router to c	onnect to the Internet.		through the router, double check any settings you
	My Internet Connection is	s: Dynamic IP (	DHCP) T		have entered on this page and verify them with your
					ISP if needed.
	ADVANCED DNS SERVICE				When DNS Relay is
	Advanced DNS is a free securi connection from fraud and nav	ty option that prigation improve	ovides Anti-Phishing to p ments such as auto-corre	rotect your Internet ection of common	enabled along with Advanced DNS
	URL typos.				feature, your work stations on the network that are
	Enable Advanced DNS Servic	e:			obtaining an IP address from router's DHCP
	DYNAMIC IP (DHCP) INTER		TION TYPE :		server will obtain 192.168.0.1 (router's IP
	Use this Internet connection ty	pe if your Intern	et Service Provider (ISP)	didn't provide you	will still be protected.
	with IP Address information an	d/or a username	e and password.		Although Advanced DNS feature is enabled DNS
	Host Name	e: DIR-615			IP address of your workstation can still be
	Use Unicasting	g: 🗹 (compatil	bility for some DHCP Serve	ers)	modified to the DNS server IP you desire
	Primary DNS Address	s: 0.0.0.0			Please note that the
	Secondary DNS Address	s: 0.0.0.0			DNS name resolution when DNS IP address is
	MTU MAC Address	1500	(bytes) MTU default = 1	500	configured on the
		Clone Your F	C's MAC Address		If you selected this option
					and have VPN or Intranet setup in your network,
					you can disable Advanced DNS service if

1. Вы должны заходить на данную страничку с компьютера который подключен к «Красноярской сети» с зарегистрированным МАС адресом. (МАС адрес индивидуален для каждого сетевого устройства, он состоит из последовательности 6 цифр в шестнадцатеричной системе исчисления, например 00-01-4f-5A-D6-66). Как правило современные роутеры умеют подделывать этот адрес, для того, что б не проходить процедуру перерегистрации МАС адреса.

2. Нажмите кнопку «Clone Your PC's MAC Address». В поле «MAC Address» при этом появиться MAC адрес вашего локального компютрера с зарегистрированным в «Красноярской сети» MAC адресом. Далее выберете пункты так как показано на рисунке выше. И нажмите кнопку «Save Settings». Возможно, если роутер попросит, потребуется перезагрузка. Согласитесь с предложением. Подождите отведенное количество времени и зайдите в админку роутера снова.

3. Убедимся что роутер правильно получил сетевые данные от нашего обррудования. Нажмите на кнопку «Status» в верхнем меню.

Toduct Page. Ditt-010				ardware version. L4	Innware version. 5.111
IR-615	SETUP	ADVANCED	TOOLS	STATUS	SUPPORT
					Helpful Hints
GS					All of your WAN and LA
ATISTICS	version is also displayed he	ork connection deta	alls are displayed on this pa	ige. The firmware	connection details are
	displayed here.			displayed here.	
ERNET SESSIONS					More
UTING TABLE	GENERAL				
RELESS	700000100	Time: 15.4.2013 1	2:43:38		
6	Firmware Ve	rsion: 5.11RU, We	ed, 2 May 2012		
6 ROUTING	line and the second				
	WAN				
	Connection	Type : DHCP Clien	nt		
	Cable St	tatus : Connected			
	Network St	tatus : Connected			
	Connection Up	Time: 12 Days, 6:0	08:10		
		DHCP Rer	DHCP Release		
	MAC Add	lress :	1110		
	IP Add	Iress: 5.159.111.2	53		
	Subnet I	Mask: 255.255.254	4.0		
	Default Gate	eway: 5.159.111.2	54		
	Primary DNS Se	erver: 5.159.96.12	4		
	Secondary DNS Se	erver: 5.159.97.25	3		
	Advanced	DNS: Disabled			
	LAN				
	MAC Add	ress: 14:d6:4d:2c:	:50:d6		
	IP Add	ress: 192.168.1.1			
	Subnet M	Mask: 255.255.255	5.0		
	DHCP Se	erver : Enabled			

Если выдается ір адрес вида 10.50 — значит вы не правильно клонировали MAC адрес вашего роутера. Либо повторите процедуру с компьютером зарегистрированным в «Красноярской сети», либо обратитесь в службу технической поддержки по телефону 2-746-526. Они помогут зарегистрировать новый MAC адрес.

## 5. Настройка Wi-Fi точки доступа

Выберете в верхнем меню пункт «Set-up», в левом меню появиться пункт «Wireless settings».

DEFENSION         SETUP         AVANCED         TOOLS         STATUS         SUPPORT           INTERNET         INTERNET         INTELESS SETTINGS         INTERNET         INTELESS SETTINGS         INTERNET         INTELESS SETTINGS         INTERNET         INTERNET         Intel test settings         Intel						
DIR-615         SETUP         ADVANCED         TOOLS         STATUS         SUPPORT           INTERNET         WIRELESS SETTINGS         WIRELESS SETTINGS         Helpful Hints         If you are new to wireless network setup and mare reare configured a wireless device connection.         Helpful Hints         If you are new to wireless network setup and mare reare configured a wireless device connection.         Helpful Hints         If you are new to wireless network setup and mare reare configured a wireless network setup Paradian the could in the Quick Installation Guide included in the package.         Helpful Hints         If you are new to wireless network setup is network setup is network up and numing.           WIRELESS NETWORK SETUP WIZARD         Mireless NETWORK SETUP WIZARD         If you could be assist you in your wireless network setup. It will guide you through step-by-step instructions on how to set up your wireless network and how to make it secure.         If you could be adding the setup of your wireless network setup. It will guide you through step-by-step instructions on how to set up your wireless network and how to make it secure.         If you could be adding the setup of your wireless network setup. It will guide you through step-by-step instructions on how to get your wireless device to your outer. It will guide you through step-by-step instructions on how to get your wireless device onnected. Click Manual Wireless Network setup to part is device to your outer. It will guide you through step-by-step instructions on how to get your wireless device connected. Click the button below to begin.         More           More wireless network wil deatry the existing wireless network will deatry the e		C				
INTERNET         WIRELESS SETTINGS         NETWORK SETTINGS         Pro         WIRELESS SETTINGS         IPv6         WIRELESS SETTINGS         IPv6         Before launching these wizards, please make sure you have followed all steps outlined in the Cuick installation Guide included in the package.         WIRELESS NETWORK SETTINGS         IPv6         WIRELESS NETWORK SETUP WIZARD         This wizard is designed to assist you in your wireless network setup. It will guide you through step-by-step instructions on how to set up your wireless network and how to make it secure.         Wireless Network Setup Wizard         Note: Some changes made using this Setup Wizard may require you to change some settings on your wireless ot bey on: wireless device connected. Click the button below to begin.         ADD WIRELESS DEVICE WITH WPS (WI-FI PROTECTED SETUP) WIZARD         This wizard is designed to assist you in connecting your wireless device connected. Click the button below to begin.         Add Wireless Device with WPS         MANUAL WIRELESS NETWORK SETUP         If your wireless network will destrop the existing wireless device device on pour outer. It will guide you through step-by-step instructions on how to get your wireless device connected. Click the button below to begin.         Add Wireless Network SETUP         If your wireless network will destrop the existing wireless network. If you would like to configure the wireless network will	DIR-615	SETUP	ADVANCED	TOOLS	STATUS	SUPPORT
Manual Wireless Network Setup	DIR-615 INTERNET WIRELESS SETTINGS NETWORK SETTINGS IPv6	SETUP WIRELESS SETTIN The following Web-bas wireless device conne Before launching these Quick Installation Guid WIRELESS NETWO This wizard is designe step-by-step instruction Note: Some changes of your wireless client ad ADD WIRELESS DE This wizard is designe guide you through step the button below to be MANUAL WIRELES If your wireless network will d wireless settings of you Network Setup button I	ADVANCED GS GS Seed wizards are designed ction. e wizards, please make su e included in the package RK SETUP WIZARD d to assist you in your wire hs on how to set up your w Wireless Networ made using this Setup Wiz apters so they can still con EVICE WITH WPS (WI- d to assist you in connection b-by-step instructions on he gin. Add Wireless De S NETWORK SETUP k is already set up with Wit estroy the existing wireles ur new D-Link Systems Ro below. Manual Wireless	TOOLS to assist you in your wirele re you have followed all st re you have followed al	STATUS ess network setup and teps outlined in the guide you through o make it secure. ange some settings on P) WIZARD your router. It will vice connected. Click al configuration of the e to configure the in the Manual Wireless	SUPPORT Helpful Hints If you are new to wireless networking and have never configured a wireless router before, click on Wireless Network Setup Wizard and the router will guide you through a few simple steps to get your wireless network up and running. If you consider yourself an advanced user and have configured a wireless router before, click Manual Wireless Network Setup to input all the settings manually. More

6. Нажмите «Manual Wireless Network Setup».

	personal information.
WIRELESS NETWORK SETTINGS	Enable Auto Channel
Enable Wireless : 🗹 Always 🔻 Add New	Scan so that the router
Wireless Network Name : Insa (Also called the SSID)	possible channel for your
	wireless network to operate on.
Finable Auto Champel Scon :	Enabling Hidden Mode is
Wireless Chappel: 2442 CHT CHT	another way to secure
	option enabled, no
	wireless clients will be able to see your wireless
	network when they scan
WIRELESS SECURITY MODE	For your wireless devices
To protect your privacy you can configure wireless security features. This device supports three	you will need to manually
wireless security modes including: WEP, WPA-Personal, and WPA-Enterprise. WEP is the original	enter the Wireless Network Name on each
require an authentication server. The WPA-Enterprise option requires an external RADIUS server.	device.
	If you have enabled
Security Mode : WPA-Personal V	sure you write down the
WPA	Key or Passphrase that you have configured. You
	will need to enter this
Use <b>WPA or WPA2</b> mode to achieve a balance of strong security and best compatibility. This mode uses WPA for legacy clients while maintaining higher security with stations that are WPA2	wireless device that you
capable. Also the strongest cipher that the client supports will be used. For best security, use	network.
access with WPA security. For maximum compatibility, use WPA Only. This mode uses TKIP	More
cipher. Some gaming and legacy devices work only in this mode.	
To achieve better wireless performance use <b>WPA2 Only</b> security mode (or in other words AES cipher).	
WPA Mode : Auto (WPA or WPA2) V	
Cipher Type : TKIP and AES V	
Group Key Undate Interval: 3600 (seconds)	
PRE-SHARED KEY	
Enter an 8- to 63-character alphanumeric pass-phrase. For good security it should be of	
ample length and should not be a commonly known phrase.	
Pre-Shared Key :	

7. Выберете пункты как указано на рисунке выше. Кроме следующих:

Wireless Network Name — это имя вашей точки доступа, назвайте как угодно, именно к ней вы будете «цеплять» Ваши беспроводные устройства.

Pre-Shared Key — это пароль к вашей точке доступа. Запомните его, он понадобиться Вам для того что б «подцепиться» к вашей точке доступа.

8. Нажмите кнопку «Save Settings». Возможно, если роутер попросит, потребуется перезагрузка. Согласитесь с предложением. Подождите отведенное количество времени и зайдите в админку роутера снова. Нажмите на кнопку «Status» в верхнем меню и найдите информацию по вашей беспроводной точке доступа:

WIRELESS LAN	
Wireless Radio :	Enabled
MAC Address :	14:d6:4d:2c:50:d6
Network Name (SSID) :	nsa
802.11 Mode :	11bgn
Channel Width :	auto
Channel :	7
Security Mode :	AUTO (WPA or WPA2) - PSK
Wi-FI Protected Setup :	Enabled/Configured

9. Окошко информации должно выглядеть как показано на рисунке выше, кроме следующих пунктов:

- MAC Address у Вас должен быть свой, не похожий на адрес на рисунке.

- Network Name у Вас дожен быть свой, тот что вы указали в пункте 7 данного руководства.

- Chanel у Вас может быть другой, в диапазоне от 1 до 15 (точка доступа выбирает сама исходя из анализа частот и не занятости того или иного канала).

## 10. Немного о безопасности!

Обязательно зайдите в Tools (верхнее меню) — Admin (левое меню) и измените «Admin Password» (в поле Password и Verify Password надо заполнять один и тот же пароль). Запомните этот пароль и следующий раз вводите именно его при входе в «Админку» (пункт 1 данного руководства), логин остается тот же (пункт 1 данного руководства). Не забудте нажать на «Save Settengs» и перезагрузить роутер!

Роутер готов к использованию! В случае неполадок и непоняток обращайтесь в службу технической поддержки «Красноярской сети» тел. 2-746-526